



## Scatola di derivazione IoT Presa & Spina 2P - IP67

IOTH.D210.EAVB



### INFORMAZIONI GENERALI

Tipo di installazione	Scatola di derivazione
Categoria	TEEBOX®
Serie	IOTH210
Colore	Nero (Componenti plastiche) - Verde Techno (Componenti gomma)

## DATI ELETTRICI

Tensione di alimentazione AC	220-240 V
Tensione di alimentazione DC	176-276V
Frequenza di alimentazione	0/50/60 Hz
Corrente di alimentazione	440mA
Potenza in ingresso	83,3W
Fattore di potenza	0,96
Rendimento massimo carico	90%
Corrente di uscita massima	3125mA
Tensione di uscita massima	24V
Potenza d'uscita	75W

## CONDIZIONI AMBIENTALI

Grado protezione IP	IP67
Ambient temperature MIN/MAX	-25°C / +50°C

## MATERIALI

Corpo	PA66 UL94 V2
Guarnizioni	TPE
Grado di isolamento	II



## IoTH Junction box Plug & Socket 2P - IP67

IOTH.D210.EAVB



### GENERAL INFORMATION

Type of installation	Joint connector
Product configuration	TEEBOX®
Series	IOTH210
Colour	Black (Plastic components) - Techno green (Rubber components)

## ELCTRICAL DATA

Mains Voltage AC	220-240 V
Mains Voltage DC	176-276V
Mains frequency	0/50/60 Hz
Mains Current	440mA
Power in	83,3W
Power factor	0,96
Efficiency full load	90%
Output current	3125mA
Output voltage	24V
Output power	75W

## ENVIRORMENT CONDITIONS

IP rating	IP67
Ambient temperature MIN/MAX	-25°C / +50°C

## MATERIALS

Body	PA66 UL94 V2
O Rings	TPE
Class of protection	II