

Riduzioni cavo compatibili per pressacavo con ch24 mm (Ø 7.0-13.5mm)

Cable reductions compatible for cable glands with ch24 mm (Ø 7.0 - 13.5 mm)

Réductions de câble compatibles pour presse-étoupes de ch24 mm (Ø 7.0 - 13.5 mm)

6000668GT

Ø9.0-13.0mm

Guarnizione monoforo

Single hole gasket

Joint monotrou



600013600

Ø2.0-3.5mm

Guarnizione monoforo

Single hole gasket

Joint monotrou



600037000

Ø4.5-5.5mm

Guarnizione monoforo

Single hole gasket

Joint monotrou



604001100

Ø7.5-9.0mm

Guarnizione monoforo

Single hole gasket

Joint monotrou



6000636GT

Ø8.0-11.0mm

Guarnizione monoforo

Single hole gasket

Joint monotrou



6DB00080T (SILICONE)

Ø7.0-13.5mm

Guarnizione monoforo

Single hole gasket

Joint monotrou






600012700

5.5x11.0mm

Guarnizione asolata

Flat grommet

Reduc. Câbles plats



Single hole gasket
Joint monotrou

600013700

Tappo cieco

Blind grommet

Câble sans trou



600012500

Ø2.0-4.0mm

Guarnizione multipolare

Multi hole gasket

Joint multitrans



600030600

Ø4.5-5.5mm

Guarnizione multipolare

Multi hole gasket

Joint multitrans




600012600

Ø2.0-4.0mm

Guarnizione multipolare

Multi hole gasket

Joint multitrans



600018200

Ø2.0-3.5mm

Guarnizione multipolare

Multi hole gasket

Joint multitrans




600022400

Ø1.5-3.0mm

Guarnizione multipolare

Multi hole gasket

Joint multitrans



6000752GT

Ø5.0-7.5mm

Guarnizione multipolare

Multi hole gasket

Joint multitrans



														
Codice	6000668GT	600013600	600037000	604001100	6000636GT	600012700	600013700	600012500	600030600	600012600	600018200	600022400	6000752GT	6DB00080T
TH390	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH391.L	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH392.L	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH393	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH400*	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH402*	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH399*	•	•	•	•	•	•	•	•	•	•	•	•	•	•

* TH400 - TH402 - TH399 : versioni che montano pressacavo con passaggio cavo Ø 7-13/13.5 mm

* TH400 - TH402 - TH399 : versions fitted with cable gland with Ø 7-13/13.5 mm cable passage

* TH400 - TH402 - TH399 : versions équipées de presse-étoupe avec passage de câble Ø 7-13/13.5 mm



														
Codice	6000668GT	600013600	600037000	604001100	6000636GT	600012700	600013700	600012500	600030600	600012600	600018200	600022400	6000752GT	6DB00080T
TH209	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH219	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH211*	•	•	•	•	•	•	•	•	•	•	•	•	•	•

* TH211 : versioni che montano pressacavo con passaggio cavo Ø 7-13/13.5 mm

* TH211 : versions fitted with cable gland with Ø 7-13/13.5 mm cable passage

* TH211 : versions équipées de presse-étoupe avec passage de câble Ø 7-13/13.5 mm



														
Codice	6000668GT	600013600	600037000	604001100	6000636GT	600012700	600013700	600012500	600030600	600012600	600018200	600022400	6000752GT	6DB00080T
TH387.L	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH389	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH404	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH405*	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH408	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH624.LR*	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TH629.R*	•	•	•	•	•	•	•	•	•	•	•	•	•	•

* TH405 : versioni che montano pressacavo con passaggio cavo Ø 7-13/13.5 mm

* TH405 : versions fitted with cable gland with Ø 7-13/13.5 mm cable passage

* TH405 : versions équipées de presse-étoupe avec passage de câble Ø 7-13/13.5 mm

* TH624.LR - TH629.R : versioni in confezione kit

* TH624.LR - TH629.R : Individually packed (KIT) versions

* TH624.LR - TH629.R : versions en kit sachet



Riduzione cavo compatibile per pressacavi con ch24 mm (Ø 7.0 – 13.5 mm)

Cable reductions compatible for cable glands with ch24 mm (Ø 7.0 – 13.5 mm)

Réductions de câble compatibles pour presse-étoupes de ch24 mm (Ø 7.0 – 13.5 mm)

													
Codice Code	6000668GT	600013600	600037000	604001100	6000636GT	600012700	600012500	600030600	600012600	600018200	600022400	6000752GT	6DB000800
6000087LF 	n.d	Ø1.5-3.5mm	Ø4.0-5.5mm	Ø6.5-8.5mm	n.d	n.d	Ø1.5-2.5mm	Ø3.0-4.0mm	Ø1.5-2.5mm	Ø1.5-2.5mm	n.d.	n.d	Ø6.0-8.5mm

